- Content f information disclosure statement: Section 1.98(a)(2)(iii) requires § 1.98(a)(2) submissi n of copies of U.S. patent applications that are being cited in IDS statements.
- If a U.S. application was cited in an IDS prior to the effective date of the change to § 1.98(d)(2) §1.98(a)(2) (now requiring a copy of the cited application) but a copy of the cited application was not supplied, as was permissible under the former rule, a copy of the cited application must be supplied if cited in any continuing application where the citation is made after the effective date of the changes to §§ 1.98(a) and (d).

	Atty. Docket No.	Serial Number	Inventor(s)	Filing Date
	7996P	60/193,846	deLong et al	3/31/2000
-	7998P	60/193,645	deLong et al	3/31/2000
/	7 <del>9</del> 99P	60/193,844	deLong et al	3/31/2000
	8191	09/633,180	deLong	8/4/2000

Considued Ex: L. Channavajgale

LIST OF DOCUMENTS CITED BY APPLICANTS (Use several sheets if necessary)	ATTY. DOCKET NO. 7997	SERIAL NO. not assigned
	APPLICANT DeLong	
•	FILING DATE 1/31/2001	GROUP not assigned

## **U. S. PATENT DOCUMENTS**

EXAMPLER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	CLASS	FLING DATE F APPROPRIATE
A	US 3,435,053	3/25/69	Geal et al	260/345.2		* AFFROMMIE
	US 3,524,867	8/18/70	Beal et al	280/345.2	<del>                                     </del>	<u> </u>
	US 3,598,858	8/10/71	Gergstrom et al	260/468.0	<del></del>	<del></del>
	US 3,691,218	9/12/72	Bergstrom et al	260/466 R	2604888	
	US 3,706,789	12/19/72	Bergstrom et al	260/488 D	280/211R	
	US 3,776,938	12/4/73	Bergstrom et al	260/488 D	-	
	US 3,776,939	12/4/73	Bergstrom et al	260/468 D	<del> </del>	
	US 3,839,409	10/1/74	Bergstrom et al	280/468 D	<del> </del>	
	US 3,852,337	12/3/74	Bergstrom at al	280/488.R	260/410	
	US 3,882,241	5/6/75	Pharries, BB	424/306	424/318	
	US 3,882,245	5/6/75	DuCharme, DW	424/318	424/305	
	US 3,896,156	7/22/75	Beel et al	260/468D	280/211	
	US 3,928,588	12/23/75	Robert, A	424/234	424/273	<del></del>
	US 3,966,792	8/29/78	Hayeshi et al	260/468D	280/210R	
	US 3,984,455	10/5/76	Begi et al	260/468D	280/247.2R	<del></del>
	US 4,011,262	3/8/77	Heas et al	280/5208		
	US 4,024,179	5/17/77	Bindra et al	260/473A	280/240R	
	US 4,061,671	12/8/77	Beck et al	280/514D	280/240R	
	US 4,073,934	2/14/78	Skubalia et el	424/305	280/343.3R	
	US 4,089,885	5/16/78	Husbands, GEM	260/448.8R	260/295R	<del></del>
	US 4,123,441	10/31/78	Johnson, RA	260/345.2	280/5140	
	US 4,128,720	12/5/78	Hayaski et al	560/9	424/283	
	US 4,158,667	6/19/79	Axen, UF	260/413	280327M	
	US 4,225,507	9/30/80	Sh, JC	260/346.22	260/346.22	
	US 4,225,508	9/30/80	Sh, JC	260/346.22	280/345.2	
	US 4,284,646	8/18/81	Vorbruggen et al	424/305	260/345.2	
	US 4,489,092	12/18/84	Vorbruggen et al	424/304	260/340.5P	
	US 4,499,293	2/12/85	Johnson et al		280/345.7P	
	US 4,621,100	11/4/86	Lund et al	549/465 514/573	548/252	
	US 4,704,386	11/3/87	Mueller, RA	514/211	514/155	
	US 4,889,845	12/26/89	Filter et al		540/547	
	US 5,063,057	11/5/91	Spellman et al	514/83 424/401	514/573	
	US 5,219,885	6/15/93	Froich at al		206/528	
	US 5.280.018	1/18/94	Ritter et al	514/530	-	
	US 5,340,813	8/23/94	Klein et al	514/63	42447	
	US 5,422,371	6/6/95	Liao et al	514/263	544/272	
	US 5,464,868	11/7/95	Froich et al	514/560	514/703	
	US 5,508,303	4/16/96	Isogaya, et al	514/530	-	
	US 5,516,652	5/14/96	Abramovitz et al	514/468	549/458	
	US 5,567,079	10/22/96	Felder, A	435/69,1	435/240.1	
	US 5,576,315	11/19/96	Hailinan et al	405/80	405/74	
	US 5,578,640	11/26/96	Hanson, WR	514/211	540/547	
7-	US 5,578,643	11/26/96	Henson, WR	514/530	514/573	
<del></del>	US 5,605,814	2/25/97	Abramovitz et al	514/573	514/530	
<del></del>	US 5,605,931	2/25/97	Hanson, WR	435/69.1	435/252.3	
1 -1-	US 5,658,897	8/17/97	Burk, RM	514/530	514/573	
	US 5,663,203	9/2/97	Ekerdt et al	514/118	546/22	
70	US 5,670,506	9/23/97	Leigh et el	514/572	514/573	
2.3		J. 2. 4. 1.	rown at at	514/256	514/263	

Exi L. Chancavajjale

Page 2 of 9 USPTO-1449 7997

)	US 5,681,850	10/28/97	Frolich et al	514/530		
	US 5,703,108	12/30/97	Cameron et al	514/382	514/304	
	US 5,719,140	2/17/98	Chandrakumar et al	514/211	540/547	
	US 5,759,789	6/2/98	Abramovitz et al	435/7.21	435/69.1	
	US 5,770,759	6/23/98	U no et a)	560/53	560/121	
	US 5,792,851	8/11/98	Schuster et al	536/23.5	435/89.1	
	US 5,840,847	11/24/98	Abramovitz et al	530/350	435/89.1	
<del>-</del>	US 5,834,498	11/10/98	Burk, RM	514/445	514/438	
	US 5,869,281	2/9/1999	Abramovitz et al	435/89.1	435/252.3	
~  <del></del>	US 5,877,211	3/2/1999	Woodward	514/530	514/573	
	U\$ 5,885,766	3/23/1999	Mahe et al	435/1.1	435/29	
	US 5,885,974	3/23/1999	Danielov, MM	514/109	514/103	
_	US 5,889,052	3/30/1999	Klimko, et al	514/530	514/573	
	US 5,892,099	4/6/1999	Maruyama, et al	560/121	560/15	
	US 5,958,723	9/28/1999	Abramovitz et al	435/69.1	536/23.5	
	US 5,972,965	10/26/99	Taniguchi et al	514/326	514/374	
	US 5,973,002	10/26/99	Frolich et al	514/530	514/530	
	US 5,977,173	11/2/99	Wos et al	514/530	514/582	
	US 5,985,597	11/16/99	Ford-Hutchinson et al	435/99.1	435/252.3	
	US 5,990,346	11/23/99	Kataoka et al	562/503	549/422	
	US 5,994,397	11/30/99	Selliah et al	514/473	549/475	
	US 6,013,823	1/11/00	Mamarella et al	556/443		
	US 6,025,375	2/15/00	Taniguchi et al	514/374	548/236	
	US 6,025,392	2/14/00	Selliah et al	514/473	549/475	
	US 6,030,959	2/29/00	Tremont et al	514/83	556/418	
	US 6,030,999	2/29/00	Stjernschantz et al	514/530	-	
	US 6,031,001	2/29/00	Stjernschantz et al	514/573	-	
	US 6/031,079	2/29/00	Ford-Hutchinson et al	530/350	435/69.1	
	US 6,037,364	3/14/00	Burk, RM	514/438	514/461	
	US 6,037,368	3/14/00	Podos et al	514/530	514/573	
1/	US 6,043,264	3/28/00	Ohtake et a)	514/374	514/444	

## FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	TRAN	SLATION
R-	BE 746615	7/31/70 Beigium	A61K		X	1	
\\	DE 1617477	1/8/70	Germany	A81K		X	1
	DE 2460990	12/21/74	Germany	C07C	177/00	X	<b>—</b>
	EP 249194	6/9/86	EPO	A61K	31/557		
	EP 648488	10/13/93	EPO	A61K	31/00	X	<del>                                     </del>
	EP 911321	4/28/99	EPO	C07C	311/13		
	EP 925787	6/30/99	EPO	A61K	31/557		
	EP 970897	9/16/99	EPO	A61K	31/557		
	EP 947500	10/6/99	EPO	C07/C	233/25		
]	EP 1008588	2/10/98	EPO	C07/C	406/00		1
	EP 1016660	9/07/98	EPO	C07/D	209/42	1	1
	FR 2,108,027	9/27/71	FRANCE	ABIK	7/00	×	1
	FR 2,730,811	2/27/95	FRANCE	G01N	33/48	X	1
	GB 1251750	10/27/71	GREAT BRITAIN	C07C	61/32		
	GB 1285371	8/16/72	GREAT BRITAIN	A61K	27/00		
	GB 1285372	8/16/72	GREAT BRITAIN	C07C	61/32		1 -
	GB 1456512	11/24/76	GREAT BRITAIN	C07C	177/00		
	GB 1456513	11/24/76	GREAT BRITAIN	C07D	307/93		
	GB 1456514	11/24/76	GREAT BRITAIN	C07F	9/40		
	GB 2048254	12/10/80	UNITED KINGDOM	C07C	177/10		1
	GB 2330307	4/21/99	UNITED KINGDOM	A61K	31/557		
	JP 3-83,925	4/9/91	JAPAN	A61K	31/557	X	
	JP 3-83,926	4/9/91	JAPAN	A61K	31/557	X	1 -
	/ JP 4-300,833	10/23/92	JAPAN	A61K	31/557	X	
1	JP 9-295,921	11/18/97	JAPAN	A61K	7/06	X	

Ex: L Channarajple

	JP 10-287,532	10/27/98	JAPAN	A61K	7/06	X
	JP 49-101,356	9/25/74	JAPAN	16C86	_	X
	JP 49-102,647	9/27/74	JAPAN	16C68	-	X
	JP 61-218,510	9/29/86	JAPAN	A61K	7/08	X
	WO 00/2450	1/20/2000	PCT	A01N	37/08	
	WO 00/3736	1/27/2000	PCT	A61K	47/44	
	WO 00/3980	1/27/2000	PCT	C07C	405/00	
	WO 00/4896	2/3/2000	PCT	A61K	31/215	
	WO 00/4899	2/3/2000	PCT	A61K	31/215	
	WO 00/9557	2/24/2000	PCT	C07C	14/47	
	WO 00/13964	3/16/2000	PCT	A61K	47/36	
	WO 00/15608	3/23/2000	PCT	C07C	405/00	
	WO 00/16760	3/30/2000	PCT	A61K	31/00	
	WO 86/00616	1/30/1986	PCT	C07D	239/02	
	WO 94/08585	4/28/94	PCT	A61K	31/557	
	WO 95/00552 WO 95/11003	1/5/95	PCT	C07K	15/00	
<del></del>		4/27/95	PCT	A81K	7/42	
<del></del>	WO 95/11033 WO 95/19964	4/27/95 7/27/95	PCT	A61K	33/24	
<del></del>	WO 96/10407	4/11/96	PCT	C07C	405/00	
<del>                                     </del>	WO 97/09049	3/13/97	PCT PCT	A61K	31/557	<del></del>
<del>                                     </del>	WO 97/15319	5/1/97	PCT	A61K	31/557	<del></del>
<del>                                     </del>	WO 97/23223	7/3/97	PCT	A61K	38/18	
	WO 97/23225	7/3/97	PCT	A61K	31/567	<del></del>
	WO 97/23226	7/3/97	PCT	A61K	31/557 31/557	
	WO 97/29735	8/21/97	PCT	A61K	7/42	
	WO 97/39754	10/30/97	PCT	A61K	31/557	
	WO 98/00100	1/8/98	PCT	A61K	7/42	-{
	WO 98/12175	-	PCT	C07C	406/00	<del></del>
	WO 98/13016	4/02/98	PCT	A61K	7/42	<del>- </del>
100	WO 98/19880	5/14/98	PCT	A61K	31/557	4 / -
	WO 98/20880	5/22/98	PCT	A61K	31/557	-
	WO 98/20881	5/22/98	PCT	A61K	31/557	1
	WO 98/21180	5/22/98	PCT	C07C	405/00	<del> </del>
	WO 98/21181	5/22/98	PCT	CO7C	405/00	<del>                                     </del>
	WO 98/21182	5/22/98	PCT	C07C	405/00	<del>-</del>
<b>├</b>	WO 98/27976	7/2/98	PCT	A61K	31/18	<del> </del>
	WO 98/28264	7/2/98	PCT	C07C	311/06	
-	WO 98/33497	8/6/98	PCT	A61k	31/215	1
	WO 98/39293	9/11/98	PCT	C07C	405/00	
-	WO 98/50024 WO 98/53909	11/12/98	PCT	A81K	31/215	
-	WO 98/57930	12/3/98	PCT		31/215	
	WO 98/57942	12/23/98	PCT		406/00	
	WO 98/58911	12/23/98	PCT		307/20	
_	WO 99/02165	12/30/98 1/21/99	PCT		405/00	
	WO 99/12550	3/18/99	PCT		31/557	
$\neg$	WO 99/12551	3/18/99	PCT		31/557	
	WO 99/12895	3/18/99	PCT		31/557	
111 73	WO 99/12896	3/18/99	PCT		405/00	
	WO 99/12897	3/18/99	PCT		405/00	
	WO 99/12898	3/18/99	PCT		405/00	<b></b>
	WO 99/12899	3/18/99	PCT		405/00 405/00	<b>—</b>
	WO 99/19300	4/22/99	PCT		213/71	
	WO 99/21562	5/6/99	PCT		31/557	
	WO 99/22731	5/14/99	PCT		31/44	<del></del>
	WO 99/25357	5/27/99	PCT		1/557	·
	WO 99/25358	5/27/99	PCT		31/557	
		6/24/99	PCT		7/06	
		6/24/99	PCT		1/557	
		7/1/99	PCT		05/00	

L. Chamarayjale

	WO 99/32641	7/1/99	PCT	C12N	15/80	<u> </u>
	WO 99/33794	7/8/99	PCT	C07C	405/00	
	WO 99/47497	9/23/99	PCT	C07C	315/00	
	WO 99/50241	10/7/99	PCT	C07C	405/00	
	WO 99/50242	10/7/99	PCT	. C07C	405/00	
	WO 99/61029	12/2/99	PCT	A61K	31/557	
	WO 99/64621	12/16/99	PCT	C12Q	1/25	
	WO 99/65303	12/23/99	PCT	AOIN	37/08	
1	WO 99/65527	12/23/99	PCT	A61K	47/10	
7/			7			

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

R	DeLong MA Prostaglandin receptor agands: Recent patent activity. #Drugs 2000 3(9); 1039-1052
	Negishi, M.; Sugimoto, Y.; Ichikawa, A.; Molecular mechanisms of diverse actions of prostanoid receptors.  Biochimics at Biophysics Acts 1259 1985 109-120.
	Collins, PW; Djurk: SW; Synthesis of therepeutically useful prostaglandin and prostacyclin analoge. Chem. Rev. 1983 83 1533-1564.
	Coleman RA, Kennedy I, Humphrey PPA, Bunce K, Lumley P Prostuncids and their receptors. Comprehensive Medicinal Chemistry, Vol. 3; Membranes and Receptors. 1980 843-714
Unable to obtain	Coleman RA, Smith WI., Nanumbya S Phermacol. Rev. 1994 46 205-229.
	Albert Alm, MD The Potential of prostaglandin derivates in glaucome therapy; Prostaglandins and derivates  Current Opinion in Ophthamology 1983 4(11) 44-50.
	Coleman RA, Smith WL, Narumia S. Classification of prostanoid receptors: properties, distribution, and structure of the receptors and their subtypes <i>Pharmacological Reviews</i> 1994 46(2) 205-229.
	Kirlyama M, Ushikubi F, Kobayashi T, Hirata M, Sugimoto Y, Narumiya S. Ligand binding specificities of the eight types and subtypes of the mouse prestanoid receptors expressed in Chinese hamster overy cells British Journal of Phermacology 1997 (122) 217-224.
	Funk CD, Furti L, Fitzgerald GA, Cloning and expression of a cDNA for the human prostaglandin E receptor EP, aubtype* Journal of Bioogical Chemistry 1983 (268) 26767-26772.
	Abramovitz M, Bole Y, Nguyan T, Rushmore TH, Bayne MA, Metters KM, Stipstz DM and Grygorczyk R Clening and expression of a cDNA for the human prostanoid FP receptor Journal of Biooglasi Chemistry 1994 289 2832-2838.
	Ichikawa EA, Sugimoto Y, Negishi M. Motecular aspects of the structures and functions of the prostaglandin E receptors Journal of Lipid Mediators Cell Signalling 14 1996 83-87.
	Krauss AHP, Woodward DF, Gibson LL., Protzman CE, Williams LS, Burk RM, Gac TS, Roof MB, Abbas F, Marshall K, Senior J Evidence for human thrombosone receptor heterogeneity using a nevel series of 9,11-cyclic cerbonstie derivatives of prostaglandin-F <sub>2</sub> -alpha British Journal of Pharmacology 1998 117(8) 1171-1180.
$\checkmark$	Corsini A, Folco GC, Furnagalli R, Nicosia S,Noe MA, Oliva O (\$2)-Carbacyclin discriminates between prostacyclin receptors coupled to adenylate cyclass in vascular smooth muscle and platelets. <i>British Journal of Pharmacology</i> 1987 90 255-261.
Inable to obtain	Weedward DF, Git DW, Chen J, Burk RM, Kedzie KM, Krause AN P. Emerging evidence for additional prostanoid
eference	receptor aubtypes Cur. Top. Pharmacol. 1998 4 153-162.
2	Woodward DF, Machu C, Rix P, Kharlamb A Studies on the ocular effects of a pharmacologically novel agent prostaglandin F <sub>2</sub> alpha 1-OCH <sub>2</sub> (AGN 191129) N-S Archives of Pharmacology 1906 358 (1), P1713
	Orlicky DJ Negative regulatory activity of a prostaglandin F <sub>26</sub> receptor associated protein (FPRP) Prostaglandins, Leukotrienes and Essential Fatty Acids 1996 54(4) 247-259.

Exi L. Channavaggla

4/17/0-

Ja-	Jakobsson PJ, Morgenstern R, Mancini J, Ford-Hutchinson A, Persson B Membrane-associated proteins in elcosan lid and glutathione metabolism (MAPEG)-A widespread protein superfamily Am. J. Resp. Crit. Care Med. 2000 (161) \$20-\$24.
	Abramovitz M, Adam M, Boie Y, Carriere MC, Denis D, Godbout C, Lamontagne S, Rochette C, Sawyer N, Tremble NM, Belley M, Gallant M, Dufresne C, Gareau Y, Ruel R, Juleau H, Labelle M, Oulmet N, Metters KM The utilization of recombinant prostanoid receptors to determine the affinities and selectivities of prostaglandins and relate analogs Biochimics at Biophysics Acts 2000 1483 (2) 285-293.
	Ruel R, Lacombe P, Abramovitz M, Godbout C, Lamontagne S, Rochette C, Sawyer N, Stocco R, Trambiay NM, Metern KM, Labelle M New class of biphenylens dibenzazocinones as potent iligands for the human EP <sub>1</sub> prestancid receptor Bicorganic & Medicinal Chamistry Latters. 1999 (9) 2899-2704.
	Hallinan EA, Hegen TJ, Tsymbolov S, Husa RK, Lee AC, Staplefield A, Savage MA Aminoscotyl molety as a potential surrogate for discylhydrazine group of SC-51069, a potent PGE, antegonist, and its analoge J. Med. Chem. 199 39 609-613
Unable to obtain	Pharmaprojects No.6321
	Maruyama T, Koketsu M, Yamamoto H, Yamamoto K, Yamamoto L T, Hayashida K I, Chuchida S, Kondo K EP receptor antagonieta suppress tactile allodynia in rate Prostaglandine Lipid Medial. 1998 59 217.
Unable to obtain reference	ADIS, ADISINSIGHT: ZD-8416 Mar. 27.2000.
	Ueda K, Salto A, Nakano H, Aoshima M, Yokota M, Muraoka R, Iwaya T Brief official and inhoratory observations Cortical hypercetosis following long-term administration of prostaglandin E <sub>1</sub> in infants with cyanotic congunita heart disease The Journal of Padiatrics 1980 97 834-836.
	Shih MS, Norridin RW PGE <sub>2</sub> induces regional remodeling changes in Havensian envelope: A histomorphometric study of fractured ribe in beegles <i>Bone and Mineral</i> 1996 (1) 227-234.
	Mori S, Jee WSS, Li XJ, Chan S, Kimmal DB Effects of prostaglandin E₂ on production of new cancellous bone in the axial skeleton of overlectomized rats. Bane 1990 (11) 103-113.
	Chyun YS, Raisz LG Stimulation of bone formation by prostaglandin E <sub>2</sub> Prostaglanding 1964 (27) 97-103.
	Norridin RW, Jee WSS, High WB The role of prostaglandins in bone in vivo Prostaglandins, Leukobiense and Essential Fathy Acide 1990 (41) 139-148.
	Roof St., deLong MA, Charest RP mRNA expression of prostaglandin receptors EPs, EPs and EPs in human osteoblast-like cells and 25 human tissues Journal Bane Min. Res. 1986 (11) \$337.
	Hartke JR, Jankowsky ML, deLong MA, Soehner ME, Jee WSS, Lundy MW Prostanoid FP agonists build bone in the overlectomized rat J. Bone Min. Res. 1999 (14) T326, pg S207.
	Lundy MW, deLong MA, Combs KS, Gross GJ, Soehner ME, Hartke JR. Restoration of cancellous architecture and increased bone strength in aged osteopenic rats treated with fluprosteriol J. Bone Min. Res. 1999 1(4) SA368, pg S401.
	Wang Y, Wos JA, Dirr MA, Soper DL, deLong MA, Mieling G, De B, Amburgey J, Suchanek E, Taylor CJ The design and synthesia of 13, 14- dihydro prostaglandin F <sub>1</sub> z analogs as potent and selective ligands for the human FP receptor. J. Med. Chem. 2009 43(5) 945-952.
	Sakuma Y, Tanaka K, Suda M, Yasoda A, Natsui K, Tanaka I, Ushikubi F, Narumiya S, Segi E, Sugimoto Y, Ichikawa A, Nakao K Crucial involvement of the EP <sub>4</sub> subtype of prostaglandin E receptor in esteoclast formation by pro

Ex: L. Channa vajgela

4/11/2

unable to oblain reference	Del/Toro F Jr. Sylvia VL, Schubkegel SR, Campos R, Dean DD, Boyen BD, Schwartz Z Characterization of prostaglandin E <sub>2</sub> receptors and their role in 34,25 (OH), D <sub>2</sub> mediated effects on resting zone chondrocytes J. Cell Physiol. 2000 182(2) 196-208.
	Narumiya S Roles of prostanoids in health and disease, lessons from receptor-knockout mice. Int. Congr. Sel 1999 1181 261-269
	Audoly LP, Tilley J, Goulet J, Key M, Nguyen M, Stock JL, McNelsh JD, Koller BH, Coffman TM Identification of specific EP receptors responsible for the hemodynamic effects of PGE <sub>2</sub> Am. J. Physiol. 1888 46(3) H824-830.
	Vayssairst M Preventive effect of an onal prostacyclin analog, beraprost sodium, on digital necrosis in systemic scienosis J. Finaumatol. 1998 26(10) 2173-2176.
	Murakami T, Sawada K, Taneda K, Hayashi M, Katsuura Y, Tanaba H, Kiyoki M, and Araki H. Effect of teocarbacyclin methyl ester incorporated in Spid microspheres on experimental models of paripheral obstructive disease.  ArzheimForsh/Drug Res. 1986 45(II) Nr. 9, pg 991-994.
	Hall A, Smith WHT Clinprost Tellin Current Opinion in Cardiovascular, Pulmonary & Renel Investigations Drugs 1991 1(5) 605-610.
	Terada N, Yamakoshi T, Hasegawa M, Tanikesa H, Nagata H, Massako KI, Konno A Effect of a thromboxima A receptor antagonist, rematroben (BAY US405), on inflammatory cells, chemical mediators and non-epacific result hyperreactivity after atlergen challenge in pellents with perunnial allergic rhinitis Allergology International. 1998 47(1), 59-67.
Unable to obtain reference	Allyamoto T, Takishima T. A comparison in the efficacy and safety between rematroben (BAY u. 2405) and ozagraf- HCl for bronchial asthma: a phase III, multi-caster, randomized, double-blind, group comparative study. Pineho lyeku. 1897-13 509-630.
	Rempton DS, Carly E, Van Nusten L Anti-inflammatory profile in vitro of ridogrei, a putative new treatment for inflammatory bowel disease Gastroanierology 1989 (118)G3477, pg 801.
	McCullough PA Ridogral (Janusen) Current Opinion in Anti-inflammatory & Immunomodulatory Investigational Durgs 1999 1(3), 265-276.
	Inoue H Thromboxane A <sub>c</sub> receptor antegonists Farumashia 1998 32(10) 1221-1226.
	Lardy C, Rousseict C, Chavernec G, Depin JC, Quarrier D Antieggregant and antivascepestic properties of the new thromboxene A <sub>c</sub> receptor antigonist sodium 4-[[1-[[(4-chlorophenyl) suffonyl]amine] methyl] cyclopantyl] methyl] benzenescetste ArzneinForsch./Drug Res. 1994 44(11) 1196-1202.
V	Cayette AJ, Du Y, et al. The thromboxane A <sub>i</sub> receptor antagonist, \$18886, decreases atheroscierotic tesions and serum intracellular adhesion molecule-1 in the Apo E knockout mouse <i>Circulation</i> . 1998 98 115.
Unable to obtain reference	Verbeuren T, Descombes JJ The TP-receptor antegonist 8-18886 unmasks vescular relaxation and potentistas the anti-platelet action of PGD, Thromb. Harmostesis: 1997 693.
/nable to obtain reference	Yoshida K, Salo H Synthasis and pharmacological activities of the new TXAs receptor entagonist Z-335 and related compounds AFMC 1995 95 53.
Unable to obtain	Kerstetter JR, Brubsker RF, Wilson SE, Kullerstrand LJ. Prostaglandin F, alpha -1-Isopropylester lowers intraocular pressure without decreasing aqueous humor flow American Journal of Ophthalmology 1988 105 30-34.  AGN-192024 Pharmaprojects Oct. 1998 RB4 S1G.
	VanDenburgh AM, Laibovitz RA, Felix C A one-month dose-response study of AGN 192024, a novel entiglaucoma agent, in patients with elevated intraocular pressure IOVS, 1999 40 (4) 4373-B176, pg S830.

L. Channevajpla

Mnlor

	Chen J, Woodward DF, Gil DW, Messier T, Marshell K, Senior J AQN 191129: A neutral prostaglandin F-2 alpha (PGF <sub>22</sub> ) analog that lecks the mitogenic and uterotonic effects typical of FP receptor agonists IOVS. 1999 40 3562-8420, pg S675.
	Sharif NA, Davis TL, Williams GW <sup>3</sup> H AL-5848 ([ <sup>1</sup> H]8 bate (+)-Fluprostenol). Curboxytic sold of travoprost (AL-6221), a novel FP prostagiandin to study the pharmacology and autoradiographic localization of the FP receptor J. Phar. Pharmacol. 1999 51(6) 685-94.
	Garadi R, Silver L, Landry T, Tumer FD Travoprost: A new once-daily dosed prostaglandin for the reduction of elevated intraocular pressure. IOVS, 1999 40(4) 4378-B181, pg \$831.
	Dean TR, Sames GE, Li B, Chandler ML Improvement of optic nerve head blood flow after one-week topical treatment with travoprest (AL-08221) in the rabbit IOVS. 1999 40(4) 2688-8563, pg \$509
	Grittin SW, Klimico P, Crider JY, Sharif NA. AL-8819: a novel prostaglandin F <sub>2</sub> , analog with selective antagonist effects at the prostaglandin F <sub>2</sub> , (FP) receptor J. Pharmecol. Exp. Ther. 1999 290(3) 1278-1284.
	Woodward DF, Bogardus AM, Donello JE, Fairbaim CE, Gil DW, Kedzie KM, Burke JA, Kharlemb A, Runde E Molecular characterization and ocular hypotensive properties of the prostanoid EP <sub>x</sub> receptor J. Oc. Pharm. Therap. 1995  11(3) 447-454.
	Karim SMM, Adalkin PG, Kottegoda SR Prostaglandina and human respiratory tract amouth muscle: Structure activity relationship Adv. Prostaglandin Thrombosane Res. 1980 7 989-980.
	Maw GN Pharmacological therapy for the treatment of erectile dysfunction Annu. Rep. Med. Chem. 1989 34 71-80.
V	Anon. Alprostadii (nezwed): Alprox-TD, Befer, Femprox, prostaglandin E, (nezwed) Drugs R&D 1999 2(6) 413-414.
Unable to obtain	Mataurrura H Proeteglentline and sleep Saishin No to Shinkel Kegaku Shirizu 1986 10 79-89.
	Tomita Y, Maeda K, Tagami H Melanocyta-stimutating properties of arechidenic acid metabolitas: possible role in postinitammatory pigmentation Pigm. Cell Res. 1992 5(5, Pt. 2) 357-81.
	Huang-A, Katori M, Kawamura M, Li B, Harada Y Different modes of inhibition of increase in cytosotic calcium and aggregation of rabbit pisielets by two thromboxane A <sub>2</sub> antagonists Asia Pacific Journal of Pharmacology 1994 9  163-171
V	Flisiak R, Prokopowicz D Effect of misoprostot on the course of viral hapatitis B Heputo-Gastroenterology 1997 44(17) 1419-1425.
Unable to obtain	Minute D, Cristae E, Minute D, Cocu F The testing of the hepstoprotective action of some new synthetic prostaglanding Farmacie (Bucharost) 1999 47(5) 43-58.
	Vengerovsky Al, Baturina NO, Saretikov AS Hapetoprotective action of prostaglandine Eksp. Kiin. Farmskol. 1997 60(5) 78-82.
	Clissold D The potential for prosteglandin pharmaceuticals Spec. Publ R. Soc. Chem. 1999 244 115-129.
	Zimbric, M.L.; Cappas, A.A.; Uno, H.; Alberi, D.M.; EFFECTS OF LATANOPROST OF HAIR GROWTH IN THE BALD SCALP OF STUMPTAILED MACAQUES. IOVS, 1999 (40) 3569-8427, pg S676
	Voss, N.G.; Lindstrom, M.J.; Zimbric, M.L.; Albert, D.M.; Uno, H INDUCTION OF ANAGEN HAIR GROWTH IN TELOGEN MOUSE SKIN BY TOPICAL LATANOPROST APPLICATION. IOVS, 1999 (40) 3570-8428, pg 5676
	Johnstone, M.A Hypertrichosis and increased pigmentation of eyelashes and adjacent hair in the region of the ipsilateral eyelida of patients treated with unlisteral topical latenoprost. American Journal of Ophthalmology 1997 544-547
	Eisenberg DL, Camres CB: A preliminary risk-benefit assessment of latanoprost and unoprostone in open-angle glaucoma and ocular hypertension. <i>Drug Salely</i> 1999 20(6), 505-514
V	Millikan LE, Trestment of Alopecia. Journal Clinical Pharmocology 1987 (27) no. 9, pg 715

L. Chamarajple

<b>W</b>	Depperman, W.H. jr.; Up-to-date scalp tonic. New England Journal of Medicine, (1970 Nov 12) 283 (20) 1115.
1/	Johnstone MA Brief latanoproat Rx Induces hypertrichosis. Jovs, (March 15, 1996) Vol. 39, No. 4, pg. S258)
nable to obtain	Al-Sereiti, M.R.; Abu-Amer, K.M.; Sen, P.; Al-Fateh University of Medical Sciences, Tripoli, Libya, Indian J.
oference	Pharmacology of resembly (resimarinus fficinalis line.) and its therapeutic potentials Exp. Biol. (1999), 37(2) 124-130.
<del></del>	Olsen EA, and Delong E. Transdermal viprostol in the trestement of male pattern baldness. Journal of America
	Acad. Dermatology, (1990) 23 (3 Part 1), 470-472,
	Houssay AB, Arias NH, Davison TA, and Epper CE Effects of procteglandins upon hair growth in mice. Acts Physics Lat. Am. (1976), 286(3), 186-191
	Militan LE Treatment of male pettern beldness. Drug Therapy 1989 19, No. 3, 62-73,
	Rosnigk Hirl New topical agents for hair growth. Clinics in Dermatology 1988 6 (4) 119-21.
	Vincent JE Prostegiandin synthesis and selenkm deficiency a hypothesis. Prostegiandins, (1974) 8 (4), 339-3
	Malkinson FD, Geng L, and Hanson W R. Prostaglandine protect against murine hair injury produced by loniz radiation or doxorubicin. Journal Invest. Dermatol. (1989) 101 (1, Suppl.), 135e-137s.
	Jimenez JJ, Hussein AM, and Yunie AA. Stimulated monocyte-conditioned media protect from cytosine arabinoside-induced alopeda in ret. Clin. Res. (38, No. 4, 973s, (1990)
	Harrson, W.R.; Pelka, A.E.; Nelson, A.K.; and Malkinson, F.D; Rush Medical Center, Chicago. 18,18 dm
	prostagiandin 2 protects from acute radiation-induced alopecia in mice. Clin. Res. (36, No. 6, 906s, 1988)
V	Ling G, Hanson WR, Malkinson FD, 16,16 dm prestaglandin E2 protects mice from fractionated recitation-inductations. Clin. Res., 1988 38, No. 6, 906s
eble to obtain	Henson, W.R.; Geng, L.; and Malkinson, F. D.; Loyole and Hinse Medical Centers, Mayrecod, R. Prostaglandin-
arer co	Induced protection from radiation or denorubicin is these specific in mice. Journal of investigative Dermatolog (1996) vol. 106, No. 4, pg 658.
- A	Geng L, Malkinson FD, Herson WR, Misoprostol, a PGE-1 snalog that is radioprotective for murine intestine at
<u>R</u>	thair, includes widely different cytokinetic changes in these tissues. <i>Journal of Investigative Demostology</i> , (1996) Vol. 106, No. 4, Pg. 858.
	Geng L., Henson WR, Melkinson FD, Topical or systemic 16,16 dns-prestaglandin EZ or WR-2721 (WR-1085)
1	protects mice and alopects after fractionated irradiation. Int. Journal Radiat. Biol. (1992), 61(4), 533-7.
	Hanson WR, Pelika AE, Nelson AK, Malkinson FD Suboutaneous or topical administration of 16,16 dimethyl
	prostagiandin E2 protects from radiation-induced alopsois in mice. Int. Journal Fluciat. Oncol., Biol, Phys. (1992) 23(2), 333-7
	Huten HW, Kramer JKG. The effect of long-chain monoenes on prostaglandin E2 synthesis by rat akin. Lipids (1977), 12(7), 604-9
	Plulan FW, Hursaker WG, Kramer JKG, Mehadevan S, The development of dermal featons and atopacis in male rats fed repossed oil. Can. J. Physiol Pharmacol, (1876) 54, (1), 1-6.
	Sredni B, Xu RH, et al The protective role of the immunomodulator AS101 against chemotherapy-induced slopecis studies on human and animal models Int. J. Cancer (1996), 65 (1), 97-103
	Kvedar JC, Baden HP, Topical minoxidil in the treatment of male pattern alopecia. Pharmacotherapy 1987 (7) No
	6, 191-97
	Hacker M; Ulirich,V; Studies on the interaction of minoxid2 with prostacyclin synthese in-vitro. Biochem.  Pharmacol., (1988) 37(17), 3363-3365
	Michelet JF, Commo S, Billoni N, Mahe YF, Semard BA Activation of cytoprotective prostaglandin synthese-1 by
	minoxidit as a possible explanation for its hair growth-stimulation effect. Journal of investigative Dermatology (1997), 108(2), 205-209.
	Lachgar S, Charveron M, Bouhaddioui N, Gail Y, Bonafe JL. Modulation by minoxidil and VEGF of the production of inflammatory mediators by hair follicle dermal papills cells. Journal Invest. Dermatol. 1895 104, No. 1, 161
	Lachger, S. Charverson, M.; et al; Heir dermal peptile cell metabolism is influenced by minoxidit. Fundam. Can.  Pharmacol. 1997 (11, No. 2)178

CHIENT - DRIC

L. Channavajyla

4/11/0

Page 9 f 9 USPTO-1449 7997

Unable to obtain reference	Lechber, S. Charverson, M.; et al; Leborstoire Culture De Peau, Clinical and Bio-Clinical Research Group Dermatoire Toulouse, France, Effect of VEGF and minoxidit on the production of arechidoni acid metabolites by culture hair, dermai papilla cells. European Journal of Dematol. (1996), 6(5), 385-368
	Sauk JJ, White JG, Witkop CJ influence of prostaglandin E-1 prostaglandin E-2 and arachidonate on melanosomes in melanocytes and taratinocytes of anegen bulbs in-vitro. Journal Invest. Dermatol, (1975) 64-332-337
EXAMINER	1. Channevagale
in conformance with	reference considered, whether or not existion is MPEP 609; draw If not in conformance and not considered.  com with next communication

Patent and Trademark Office - U.S. DEPARTMENT OF COMMERCE